

KOVKLEEN™ P-3 SOLUTION

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product name KOVKLEEN P-3 SOLUTION

Product Use Description Cleaning Agent

Manufacturer/Importer/Supplier/Distributor Information

Company Name John R Hess & Company, Inc.

Address 400 Station St

Cranston, RI 02910

USA

Telephone (401) 785-9300 (800) 556-4377

E-mail <u>custerv@jrhess.com</u>

Emergency Phone Numbers Infotrac 1-800-535-5053 (Spill, Leak, Fire, Exposure, Accident)

+1 (352) 323-3500 (Outside North America)

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR §1910.1200).

Globally Harmonized System (GHS) Classification and Labeling



GHS Signal Word: WARNING

GHS Pictograms: Exclamation mark, Environment GHS Hazard Classes and

Hazard Statements:

Acute Toxicity – Category 4 H302 – Harmful if swallowed Skin Sensitization – Category 1 H317 – May cause an allergic skin

reaction

Acute Aquatic Toxicity – Category 2 H401 – Toxic to aquatic life

GHS Precautionary Statements:

P264 - Wash thoroughly after handling

P270 – Do not eat, drink or smoke when using this product.

P261 – Avoid breathing mist/vapours/ spray.

P272 – Contaminated work clothing should not be allowed out of the work

place P280 - Wear protective gloves.

P273 – Avoid release to the environment.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P301 + P312 - IF SWALLOWED: Ca POISON CENTER/doctor if you do not feel well. P330 - Rinse mouth.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical

advice/attention. P362 + P364 - Take off contaminated clothing and wash

it before reuse. P405 – Store locked up.

P501 – Dispose of contents/container in accordance with local/regional/national regulations.

Note: Hazard and precautionary statement numbers are included here for reference and translation purposes only and do not need to be included on the final label.

Emergency overview:

Slightly yellow liquid with a faint amine odor. May cause allergic skin reaction (sensitizer). Harmful if swallowed.

Most important symptoms and effects, both acute and delayed:

EYES: Not expected to be irritating based on animal studies.

SKIN: Not expected to be irritating based on animal studies. Repeated or prolonged skin contact may

cause reddening, itching and inflammation. May cause an allergic reaction in some individuals

(sensitizer).

INGESTION: May cause toxic effects if ingested. Ingestion of large amounts may cause gastrointestinal

disturbances.

Symptoms may include salivation, pain, nausea, vomiting and diarrhea.

INHALATION: Exposure may cause irritation of the nose, throat and lungs. Symptoms may include sore throat,

coughing, labored breathing, sneezing and burning sensation depending on the concentration and

duration of exposure.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

<u>CAS #</u>	<u>Chemical Name</u>	Percentage (wt/wt)
9002-98-6	Aziridine, homopolymer	30 – 60
26338-45-4	Aziridine homopolymer hydrochloride	1

Values do not reflect absolute minimums and maximums; these values are typical which may vary from time to time.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures:

EYES: Flush immediately with large amounts of water. Eyelids should be held away from the eyeball to

ensure thorough rinsing. Get medical attention if irritation develops or persists.

SKIN: Immediately wash skin with plenty of soap and water while removing contaminated clothing and

shoes.

Seek medical attention if irritation develops or persists.

Place contaminated clothing in closed container for storage until laundered or discarded. If clothing

is to be

laundered, inform person performing operation of contaminant's hazardous properties.

Discard contaminated leather goods.

INGESTION: Rinse out mouth with water. Keep affected person warm and at rest.

Do not induce vomiting unless directed by a physician. GET IMMEDIATE MEDICAL ATTENTION. Never give anything by mouth to an unconscious person. Vomiting may occur spontaneously. To

prevent aspiration of swallowed product, lay victim on side.

If victim is conscious and alert, give 1-3 glasses of water to dilute stomach contents.

INHALATION: Remove to fresh air. If not breathing, institute rescue breathing. If breathing is difficult, ensure

airway is clear and give oxygen.

Keep affected person warm and at rest. Get medical attention.

Indication of any immediate medical attention and special treatment needed: None

SECTION 5 - FIREFIGHTING MEASURES

Flammable properties: Not flammable or combustible

Extinguishing media Use any means suitable for extinguishing surrounding fire. Water spray may be

used to extinguish surrounding fire and cool exposed containers. Water

spray will also reduce fume and irritant gases.

Unsuitable: Water jet (frothing may occur).

Special hazards arising from the substance or mixture

Product will burn under fire conditions. Thermal decomposition may produce oxides of carbon and oxides of nitrogen, reactive hydrocarbons and toxic

gases.

Advice for firefighters Evacuate area and fight fire from a safe distance.

Use water spray to cool adjacent structures and to protect personnel. Shut off source of flow if possible. Stay away from storage tank ends. Withdraw

immediately in case of rising sound from venting safety device or any

discoloration of storage tank due to fire.

Fire fighters must wear MSHA/NIOSH approved positive pressure breathing apparatus (SCBA) with full face musk and full protective

equipment.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary people away; isolate hazard area and deny entry. Stay

upwind.

Environmental precautions

If product is released to the environment, take immediate steps to stop and

contain

release. Caution should be exercised regarding personnel safety and exposure to the released product. Do not wash down uncontained liquid spills with water.

Notify

local, provincial and/or federal authorities, if required.

Methods and material for containment and cleaning upKeep ignition sources out of area and shut off all ignition sources. Absorb spill with inert material

(e.g. drys and or earth) then place in a chemical waste container.

Large Spills Dike far ahead of liquid spill for later disposal.

Reference to other sections

Use proper protective equipment indicated in Section 8.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling Ground lines and equipment used during transfer to reduce the possibility of static

spark-initiated fire or explosion. Use non-sparking tools. Do not cut, grind, drill, weld in the vicinity of the product or reuse containers unless adequate

precautions are taken against these hazards.

Do not eat, drink or smoke in areas of use or storage.

Conditions for safe storage, including any incompatibilities.

Store in tightly closed containers in a cool, dry, isolated, well-ventilated

area away from heat, sources of ignition and incompatibles.

Avoid contact with strong oxidizers.

Protect from freezing.

Empty containers may contain product residue. Do not reuse without

adequate precautions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Occupational exposure limits:

Limit value - Short term Chemical Limit value - 8 hours ppm mg/m³ ppm mg/m³ Ethoxylated dodecyl mercaptan: **OSHA** Not Not Not Not established established established established **ACGIH** Not Not Not Not established established established established

Currently recommended monitoring procedures: Not determined

Exposure guidelines for air contaminants, if any: Not determined

DNELs and PNECs for exposure scenarios:

Not determined

Control banding for risk management: Not determined

Exposure controls:

Engineering controls: General or local exhaust ventilation and other forms of engineering

controls are the preferred means for controlling exposures.

Respiratory protection: Under normal conditions of use, ventilation and engineering controls

are sufficient. If irritation is evident, and/or a non-routine or emergency

situation, NIOSH/MSHA approved breathing equipment may be

required.

Skin & body protection:

If skin contact is anticipated, protective clothing, including impervious

gloves,

should be worn. Suggested gloves for hand protection include rubber,

synthetic rubber or plastic. Use good personal hygiene.

Eye protection: Wear approved chemical safety goggles to prevent eye contact.

Have eye wash stations readily available where eye contact can

occur.

Thermal hazards: None Environmental exposure controls None

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance: Slightly yellow liquid

Odor: Faint amine

Odor threshold: ND

pH: Approximately 12 Melting/freezing point 14°F (-10°C)

Initial boiling point & boiling range: > 212°C (> 100°C)

Evaporation rate: < 1

Flash point: $> 212^{\circ}F (> 100^{\circ}C)$

Flammability (solid, gas):

Upper flammability or explosive limits: ND

Lower flammability or explosive limits: ND

Vapour pressure:

Vapour density:

ND

Relative density: 1.08 @ 20°C Solubility(ies) Soluble (water)

Partition coefficient: ND

Auto-ignition temperature: > 392°F (>200°C)

Decomposition temperature: ND

Viscosity: 18,000 – 40,000 mPa•s

Explosive properties: None Oxidising properties: None

Other:

Density: 9.1 lbs/gal (1.09 g/cm³)

Other information: None

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Stable

Chemicals stability: Stable under normal conditions of use.

Possibility of hazardous reactions: Will not occur

Conditions to avoid: Heat, open flame, spark, ignition sources.

Incompatible materials: Incompatible with strong acids. See precautions under Section 7.

Hazardous decomposition products: Thermal decomposition may product COx and NOx, reactive hydrocarbons

and toxic fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on toxicological effects

<u>Chemical</u>	Oral LD50	Dermal LD50	Inhalation LC50	
KOVKLEEN P-3 Solution	>500 <2000 mg/kg	No data	No data	1

Category Available data

Acute toxicity: Harmful if swallowed. Acute or chronic overexposure to this

material or its components may cause systemic toxicity. For dermal contact and inhalation the criteria are not met based on available

information.

Skin/eye irritation: Based on available data the criteria are not met.

Corrositivity: Not corrosive

Respiratory or skin sensitisation: Caused skin sensitization when tested using Guinea Pig Maximization test

protocol.

Germ cell mutagenicity: Based on available data the criteria are not met.

Carcinogenicity: The product does not contain any chemicals that are listed by

U.S. OSHA, NTP, IARC or ACGIH as "probable" or "suspected"

human carcinogens.

Reproductive toxicity: Data lacking

Specific target organ effect – single exposure (STOT-SE): Data lacking Specific target organ effect – repeated exposure (STOT-RE): Data lacking

Aspiration hazard: Data lacking

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity: Acutely toxic for aquatic organisms. Cationic charge

may be neutralized in natural water by anionic

species.

Acute aquatic (fish – Brachydanio rerio) – LC50 (96 h) 7.1 mg/l

Acute aquatic (invertebrate – Daphnia magna) – EC50 (48 h) 8.84 mg/l

Persistence and degradability: 50 – 60% DOC reduction (28d)

Bioaccumulative potential: Not determined

Mobility in soil:

Results of PBT and vPvB assessment:

Not determined

Does not meet criteria

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods: This product, as supplied, when discarded or disposed of, is not a hazardous waste according to US Federal regulations (40 CFR 261). Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product is a hazardous waste subject to RCRA.

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR Parts 262, 263, 264, 268 and 279. Disposal can occur only in properly permitted facilities. Check state and local regulations for any additional requirements as these may be more restrictive than federal laws and regulations. Chemical additions, processing or otherwise altering this product may make the waste management information present in this SDS incomplete, inaccurate or otherwise inappropriate. Disposal of the product must be conducted in compliance with all federal, state and local regulation.

In Canada, waste should be disposed of according to federal, state, provincial and local regulations.

SECTION 14 – TRANSPORT INFORMATION

US DOT Not regulated

Proper Shipping Name Class UN Number Packing Group Environmental hazard

IMDG

Proper Shipping Name Environmentally hazardous substance, liquid, N.O.S.

(contains aziridine homopolymer)

Class

UN Number UN 3082
Packing Group III
Flashpoint Marine pollutant Yes

> 100°C

ICAO/IATA

Proper Shipping Name Environmentally hazardous substance, liquid, N.O.S.

(contains aziridine homopolymer)

Class 9

UN Number UN 3082
Packing Group III
Special precautions for user: None

SECTION 15 - REGULATORY INFORMATION

Safety health and environmental regulations:

a. Federal regulations:

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

This product does not contain toxic chemicals (in excess of the applicable de minimis concentration) that are subject to the annual toxic chemical release reporting requirements of the Superfund Amendments and Reauthorization Act (SARA) Section 313 (40 CFR 372).

There may be specific regulations at the local, regional or site/provincial level that pertain to this product.

SARA TITLE III Ratings

Immediate hazard: Yes Delayed hazard: No Fire hazards:

Pressure hazard: No Reactivity hazard: No

b. State regulations:

California Proposition 65: WARNING: This material contains a chemical(s) known to the state of California to cause cancer.

PENNSYLVANIA: Non-hazardous ingredients present at >3%: Water, CAS# 7732-18-5.

c. International regulations

1. Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Classification:


D2B WHMIS Ratings:

Compressed Gas: No Flammable/Combustible: NoOxidizer: No Acutely Toxic: No Other Toxic Effects: Yes Bio Hazardous: No Corrosive: No Dangerously Reactive: No

2. Australia

All ingredients are on the AICS inventory or are not required to be listed on the AICS inventory.

SECTION 16 - OTHER INFORMATION



NFPA 704 RATINGS

Health	1	Flammability	1	Reactivity	0	Special Hazards	-

RATING CODES[‡]: 0=slight; 1=mild; 2=moderate; 3=severe; 4=very severe; *=chronic hazard ‡Consult NFPA 704 and HMIS for full explanation of codes

KEY: DNEL = Derived No-Effect Level; IARC = International Agency for Research of Cancer; WEL = Workplace Exposure Limits; OEL = Occupational Exposure Limits; PBT = Persistent, Bioaccumulative, Toxic; PNEC = Predicted No-Effect Concentration; TWA = Time Weighted Average (8 hours); STEL = Short Term Exposure Limit (15 minutes); ppm = parts per million; NTP = National Toxicology Program; ACGIH = American Conference of Governmental Industrial Hygienists: vPvB = very Persistent, very Bioaccumulative; NFPA = National Fire Protection Association; HMIS = Hazardous Materials Information System

Prepared By: HSE Department Issue Date: 12/28/2023

Version: 6

Precedes: 7/16/2021

Disclaimer:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, John R Hess & Company, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will John R Hess & Company, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

KOVKLEEN™ is a trademark of Kovalus Separation Solutions, LLC in the United States and may be registered in other jurisdictions.